

CC-105 - Contactor/Modular monostable relay



Spare Part Number: CC-105

Net Weight: 0.00kg

Net Dimensions: 0.00cm x 0.00cm x 0.00cm

Technical Datasheet: [Protected Link](#)

Description

CC-105 Contactor/Modular monostable relay

Ordinary relays are "monostable" type, and this relay belongs to "monostable" type. With monostable relays, the contacts automatically return to the release state when the excitation current is switched off.

Contactor 3-Pole N-O 24VDC

FIN222290244000

Basic Specs

Contact Configuration: DPST-NO

| | |
|----------------------|------------------|
| Coil Voltage: | 24VDC |
| Contact Current: | 20A |
| Product Range: | 22 Series |
| Relay Mounting: | DIN Rail, Panel |
| Coil Type: | DC |
| Contact Voltage VAC: | 250VAC |
| Relay Terminals: | Screw |
| Contact Voltage VDC: | 30V |
| Contact Material: | Silver Tin Oxide |
| Coil Resistance: | 460ohm |

Equipment Ref

620 Ref. **KUVA, KUVK, KM11, KM12**

621 Ref. **KUVA, KUVK, KM11, KM12**

830 Ref. **KUVA, KUVK, KM11, KM12**

810 Ref. **KCG, KF, KP, KV1, KV2** (no longer in use. see [CC-125](#))

812 Ref. **KCG, KF, KP, KV1, KV2** (no longer in use. see [CC-125](#))

Catalogues/Families

| | |
|--|--|
| Suitable for the following equipment models: | |
| CLASSIC 3 P | |
| CLASSIC 4 P | |
| EASY TO PLATE EVO 3 IPD | |
| EASY TO PLATE EVO 3 | |

| | |
|----------------------------|--|
| IPI | |
| EASY TO PLATE EVO 4 IPD | |
| EASY TO PLATE EVO 4 IPI | |
| EASY TO PLATE EVO 5 BPD | |
| EASY TO PLATE EVO 5 BPI | |
| EASY TO PLATE EVO 5 IPD | |
| EASY TO PLATE EVO 5 IPI | |
| EVO 3 EDLF | |
| EVO 3 ELF | |
| EVO 3 IP | |
| EVO 4 E | |
| EVO 4 EDLF | |
| EVO 4 ELF | |
| EVO 4 IP | |
| EVO 5 BP | |
| EVO 5 E | |
| EVO 5 ELF | |
| EVO 5 IP | |
| Spare Part Type | |
| Electrical Component | |
| Spare Part Group | |
| Contactor | |
| Stock Type | |
| Standard Stock | |

Product Gallery



