

---

# CR-009 - 3-conductor through terminal block

**Spare Part Number:** CR-009

**Net Weight:** 11.90g

**Net Dimensions:** 7.50mm x 73.30mm x  
32.90mm

## Description

# CR-009 3-conductor through terminal block

6 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray

WAG20061301

## Specifications

### Ratings per IEC/EN

Ratings per	IEC/EN 60947-7-1
Nominal voltage (III/3)	800V
Rated impulse voltage (III/3)	8kV
Rated current	41A
Rated current 2	57A
Legend (ratings)	(III / 3) ? Overvoltage category III / Pollution degree

## **Ratings per UL**

Approvals per	UL 1059
Rated voltage UL (Use Group B)	600V
Rated current UL (Use Group B)	50A
Rated voltage UL (Use Group C)	600V
Rated current UL (Use Group C)	50A

## **Ratings per CSA**

Approvals per	CSA 22.2 No 158
Rated voltage CSA (Use Group B)	600V
Rated current CSA (Use Group B)	50A
Rated voltage CSA (Use Group C)	600V
Rated current CSA (Use Group C)	50A

## **Equipment Ref**

830 Ref **TB3, TB4**

812 Ref **TB1**

812 Ref **TB1**

## **Catalogues/Families**

Spare Part Type

Electrical Component	
Spare Part Group	
Others	
Stock Type	
Made to Order	

**Product Gallery**