

CP-178 - Solid state relay



Product Code: CP-178

Weight: 0.00kg

Dimensions: 0.00cm x 0.00cm x 0.00cm

Custom Field 1 (UPC): [Protected Link](#)

Description

CP-178 Solid state relay

1-Phase 15A 24-240VAC. with heat sink DIN rail mount 12-24VDC input push-in terminal

G3PJ215BPUDC1224

Equipment Ref

EVO 3 ELF Ref. **SSR1-SSR2**

EVO 3 EDLF Ref. **SSR1-SSR2**

EVO 3 IP Ref. **SSR1**

Easy to Plate EVO 3 IP D Ref. **SSR1**

Easy to Plate EVO 3 IP I Ref. **SSR1**

EVO 4 DLF Ref. **SSR1** for Heater serving Dryer drawers 1 and 2, **SSR2** for Heater serving Dryer drawers 3 and 4, **SSR3** for Heater serving Dryer drawers 5 and 6

EVO 5 DLF Ref. **SSR1** for Heater serving Dryer drawers 1 and 2, **SSR2** for Heater serving Dryer drawers 3 and 4, **SSR3** for Heater serving Dryer drawers 5 and 6

EVO 5 BP Ref. **SSR1-SSR2**

Easy to Plate EVO 5 BP D Ref. **SSR1-SSR2**

Easy to Plate EVO 5 BP I Ref. **SSR1-SSR2**

810 Ref. **SSR2**

812 Ref. **SSR2**

Specification

Suitable for the following equipment models:	
EASY TO PLATE EVO 5 BPD	
EASY TO PLATE EVO 5 BPI	
EVO 3 EDLF	
EVO 3 ELF	

EVO 4 D	
EVO 4 DLF	
EVO 4 EDLF	
EVO 5 BP	
EVO 5 D	
EVO 5 DLF	
Spare Part Type	
Electrical Component	
Spare Part Group	
Others	
Stock Type	
Standard Stock	